



**S
P
A
R
E

P
A
R
T
S**

Spare parts may be requested completing and sending us the here enclosed order form by fax, mail, or writing to our e-mail address as follows:

	FAX	0039.01 1.8005506
	E-mail	delfin@delfinvacuums.it
	Mail	Strada della Merla, 49/a 10036 Settimo Torinese (TO) Italy



Recommended spare parts

DESCRIPTION	PART NUMBER
14 plies polyester filter Ø 500 H 400 (D/G 1 model)	AR 3024
20 plies polyester filter Ø 500 H 400 (D/G 1 ELF, D/G 60 models)	AR 3003
20 plies polyester filter Ø 500 H 600 (D/G 60 ELF, D/G 2, D/G 100, D/G 150 models)	AR 2072
20 plies polyester filter Ø 560 H 750 (mod. D/G 100 ELF, D/G 150 ELF)	AR 3753
Filter holding sheath Ø 500	AR 2013
Filter holding sheath Ø 560	AR 2582
Filter clamp Ø 500	AR 2018
Filter clamp Ø 560	AR 2588
Collection container's sheath/chamber Ø 500	AR 2059
Collection container's sheath/chamber Ø 560	AR 2590
Safety filter	AR 4003




01 – D/G 1 Model, RSCH Series

REF.	PART NUMBER	Quantity	DESCRIPTION
1	AR2002	3	Spring hook fasteners
2	AR2001	1	Handle L=140
3	AR3981	1	Filter chamber Ø500 H=650 TNG. FL.
4	AR2414	1	Die-cast hose inlet plug sheath Ø80
5	AR3880	1	Flat die-cast inlet
6	AR2416	1	Die-cast inlet plug
7	AR2417	1	Pawl spring
8	AR2418	1	Die-cast inlet pawl
9	AR 2059	1	Collection container's sheath/chamber Ø500
10	AR 3114	1	Locking ring Ø40 x 1,5 Z.B.
11	AR2078	1	Collection container Ø450 H=610
12	AR 2079	1	Level indicator
13	AR3576	4	Mistral wheel cover
14	AR 2062	4	Nylon pivot wheel Ø60
15	AR2008	1	Filter shake lever's knob
16	AR2066	1	Bellow
17	AR2065	1	Bellow flange
18	AR2063	1	Filter shake lever
19	AR2051	2	35x35 square cap
20	AR2363	2	Coupling lever fulcrum
21	AR2178	2	Slider D/M3
22	AR2086	1	Right chamber profile
23	AR2087	1	Left chamber profile
24	AR3982	1	D/G Right steering column, RSCH series
25	AR3983	1	D/G Left steering column, RSCH series
26	AR3984	1	D/G trolley, RSCH series
27	AR 3449	1	Wheel Ø150 PU Piv. f/pass.
28	AR 3450	1	Wheel Ø150 PU Piv. f/pass. with brake
29	AR 2288	2	Wheel Ø150 PU
30	AR2134	2	Control board column 40x40
31	AR2084	1	Large coupling lever
32	AR2481	1	Coupling pin for filter shake casing
33	AR2480	1	3mm. zigzag spring
34	AR2457	1	Filter shake casing H=195
*35	AR3024	1	Polyester filter G Ø500 H=400 14T.
36	AR2018	1	Filter holding clamp Ø500
37	AR2013	1	Filter holding ring sheath Ø500
38	AR2456	1	Filter tensioning stand 14r.
39	AR2580	1	Filter holding ring Ø500 H=70
40	AR3985	1	Cover Ø525 1 port Ø80
41	AR2286	1	Curvedd hose inlet sheath Ø80
42	AR3986	1	Curvedd hose inlet plug Ø70, RSCH series
43	AA1023	1	Accessory hose connector Ø70

*Versions with optional filters.

Filter type	Polyester "C"	Polyester "G" ant.	Polyester "C" ant.	Polyester "G" nomex	Polyester "G" teflon
Code	AR 3025	AR 3047	AR 3086	AR 3048	AR 3049

01 – D/G 1 Model, RSCH Series






01 – D/G 1 ELF Model, RSCH Series

REF.	PART NUMBER	QUANTITY	DESCRIPTION
1	AR2002	3	Spring hook fasteners
2	AR2001	1	Handle L=140
3	AR3981	1	Filter chamber Ø500 H=650 TNG.FL.
4	AR2414	1	Die-cast inlet sheath Ø80
5	AR3880	1	Die-cast flat inlet
6	AR2416	1	Die-cast inlet plug
7	AR2417	1	Pawl spring
8	AR2418	1	Die-cast inlet pawl
9	AR2059	1	Collection container's sheath/chamber Ø500
10	AR3114	1	Locking ring Ø40 x 1,5 Z.B.
11	AR2078	1	Collection container Ø450 H=610
12	AR2079	1	Level indicator
13	AR3576	4	Mistral wheel cover
14	AR2062	4	Nylon pivot wheel Ø60
15	AR2008	1	Filter shake lever's knob
16	AR2066	1	Bellow
17	AR2065	1	Bellow flange
18	AR2063	1	Filter shake lever
19	AR2051	2	35x35 square cap
20	AR2363	2	Coupling lever fulcrum
21	AR2178	2	Slider D/M3
22	AR2086	1	Right chamber profile
23	AR2087	1	Left chamber profile
24	AR3982	1	D/G Right steering column, RSCH series
25	AR3983	1	D/G Left steering column, RSCH series
26	AR3984	1	D/G trolley, RSCH series
27	AR 3449	1	Wheel Ø150 PU Piv. f/pass.
28	AR 3450	1	Wheel Ø150 PU Piv. f/pass. with brake
29	AR 2288	2	Wheel Ø150 PU
30	AR2134	2	Control board column 40x40
31	AR2084	1	Large coupling lever
32	AR2481	1	Coupling pin for filter shake casing
33	AR2480	1	3mm. zigzag spring
34	AR2457	1	Filter shake casing H=195
*35	AR3003	1	Polyester filter "G" Ø500 H=400 20T.
36	AR2018	1	Filter holding clamp Ø500
37	AR2013	1	Filter holding ring sheath Ø500
38	AR3891	1	Filter tensioning stand 20r. D/G1-2-60
39	AR2580	1	Filter holding ring Ø500 H=70
40	AR3985	1	Cover Ø525 1 port Ø80
41	AR2286	1	Curvedd hose inlet sheath Ø80
42	AR3986	1	Curvedd hose inlet plug Ø70, RSCH series
43	AA1023	1	Accessory hose connector Ø70

Filter type	Polyester "C"	Polyester "G" ant.	Polyester "C" ant.	Polyester "G" nomex	Polyester "G" teflon
Code	AR 3043	AR 3005	AR 3044	AR 3008	AR 3003/T

01 - D/G 1 ELF Model, RSCH Series






02 – D/G 1 - D/G 1 ELF Models, RSCH Series

REF.	PART NUMBER	QUANTITY	DESCRIPTION
1	AR3987	1	D/G1-60 centring plate ,RSCH series
2	AR3988	1	D/G upper cover's outline profile, RSCH series
3	AR3989	1	D/G upper cover, RSCH series
4	AR3990	1	D/G handle , RSCH series
5	AR3140	1	Vacuum gauge Ø63 0–6000 mm.H2O
6	AR3367	1	Quick release connector
7	AR3368	1	RISLAN Pipe Ø6 L=120 cm.
8	AR3115	2	Cord hanging hook cover
9	AR3452	1	2 ports cord hanging hook with
10	AR2533	1	4-pole plug 16 A phase change
11	AR2143	Mt.10	Supply cable (cord) H07RNF 4G1,5
12	AR3234	1	Cord pickup PG 13,5
13	AR3991	1	PG 21 - 13,5 D/G1 reduction
14	AR3992	1	LC1 V400 KW 3 Cassette
15	AR3993	1	D/G1-2-60 rear cover, RSCH series
16	AR3994	1	D/G1-2-60 outline profile, RSCH series
17	AR2220	1	D/G right side panel frame, RSCH series
18	AR2221	1	D/G left side panel frame, RSCH series
19	AR3970	1	G.A. RSCH KW3 V230/400/50 IP55
20	AR3154	2	D/G side cover, RSCH series
21	AR3995	2	D/G steering column side cover, RSCH
22	AR3996	1	D/G front cover, RSCH series
23	AR3886	1	2" threaded valve cap
24	AR3997	1	"T" connector 2"F.-2"F.-2"M.
25	AR3342	1	"L" inlet connector
26	AR4016	1	Flange Ø167- 2" stub pipe with safety filter, RSCH series
27	AR4000	1	D/G safety filter container sheath Ø167, RSCH series
28	AR4001	1	D/G safety filter container Ø167, RSCH series
29	AR4002	2	D/G Safety filter Fastening latch, RSCH series
30	AR4003	1	D/G Safety filter, RSCH series
31	AR4004	1	D/G RSCH suction bottom Ø167
32	AA1023	1	Accessory connector Ø70
33	AR4005	1	Flexible hose connector Ø70 cm.80
34	AR4006	1	Soundproof pipe Ø90 H=535 fil.2" D/G1/60 SCH
*35	AR3426	1	Grid pipe Ø60 H=535
36	AR3433	1	Soundproof pipe,15mm. thickness H=535
37	AR2352	1	Soundproof galvanized coupling
38	AR3284	1	Diffuser filter clamp
39	AR3276	1	Nylon diffuser filter

02 - D/G 1 - D/G 1 ELF Models, RSCH Series






01 – D/G 60 Model, RSCH Series

REF.	PART NUMBER	QUANTITY	DESCRIPTION
1	AR2002	3	Spring hook fasteners
2	AR2001	1	Handle L=140
3	AR3981	1	Filter chamber Ø500 H=650 TNG.FL.
4	AR2414	1	Die-cast inlet sheath Ø80
5	AR3880	1	Die-cast flat inlet
6	AR2416	1	Die-cast inlet plug
7	AR2417	1	Pawl spring
8	AR2418	1	Die-cast inlet pawl
9	AR2059	1	Collection container's sheath/chamber Ø500
10	AR3114	1	Locking ring Ø40 x 1,5 Z.B.
11	AR2078	1	Collection container Ø450 H=610
12	AR2079	1	Level indicator
13	AR3576	4	Mistral wheel cover
14	AR2062	4	Nylon pivot wheel Ø60
15	AR2008	1	Filter shake lever's knob
16	AR2066	1	Bellow
17	AR2065	1	Bellow flange
18	AR2063	1	Filter shake lever
19	AR2051	2	35x35 square cap
20	AR2363	2	Coupling lever fulcrum
21	AR2178	2	Slider D/M3
22	AR2086	1	Right chamber profile
23	AR2087	1	Left chamber profile
24	AR3982	1	D/G Right steering column, RSCH series
25	AR3983	1	D/G Left steering column, RSCH series
26	AR3984	1	D/G trolley, RSCH series
27	AR3449	1	Wheel Ø150 PU Piv. f/pass.
28	AR3450	1	Wheel Ø150 PU Piv. f/pass. with brake
29	AR2288	2	Wheel Ø150 PU
30	AR2134	2	Control board column 40x40
31	AR2084	1	Large coupling lever
32	AR2481	1	Coupling pin for filter shake casing
33	AR2480	1	3mm. zigzag spring
34	AR2457	1	Filter shake casing H=195
*35	AR3003	1	Polyester filter "G" Ø500 H=400 20T.
36	AR2018	1	Filter holding clamp Ø500
37	AR2013	1	Filter holding ring sheath Ø500
38	AR3891	1	Filter tensioning stand 20r. D/G1-2-60
39	AR2580	1	Filter holding ring Ø500 H=70
40	AR3985	1	Cover Ø525 1 port Ø80
41	AR2286	1	Curvedd hose inlet sheath Ø80
42	AR3986	1	Curvedd hose inlet plug Ø70, RSCH series
43	AA1023	1	Accessory hose connector Ø70

Filter type	Polyester "C"	Polyester "G" ant.	Polyester "C" ant.	Polyester "G" nomex	Polyester "G" teflon
Code	AR 3043	AR 3005	AR 3044	AR 3008	AR 3003/T

01 – D/G 60 Model, RSCH Series






01 – D/G 60 ELF Model, RSCH Series

REF.	PART NUMBER	QUANTITY	DESCRIPTION		
1	AR2002	3	Spring hook fasteners		
2	AR2001	1	Handle L=140		
3	AR3731	1	Filter chamber Ø500 H=850 TNG.FL.		
4	AR2414	1	Die-cast inlet sheath Ø80		
5	AR3880	1	Die-cast flat inlet		
6	AR2416	1	Die-cast inlet plug		
7	AR2417	1	Pawl spring		
8	AR2418	1	Die-cast inlet pawl		
9	AR 2059	1	Collection container's sheath/chamber Ø500		
10	AR 3114	1	Locking ring Ø40 x 1,5 Z.B.		
11	AR2078	1	Collection container Ø450 H=610		
12	AR 2079	1	Level indicator		
13	AR3576	4	Mistral wheel cover		
14	AR 2062	4	Nylon pivot wheel Ø60		
15	AR2008	1	Filter shake lever's knob		
16	AR2066	1	Bellow		
17	AR2065	1	Bellow flange		
18	AR2063	1	Filter shake lever		
19	AR2051	2	35x35 square cap		
20	AR2363	2	Coupling lever fulcrum		
21	AR2178	2	Slider D/M3		
22	AR2086	1	Right chamber profile		
23	AR2087	1	Left chamber profile		
24	AR3982	1	D/G Right steering column, RSCH series		
25	AR3983	1	D/G Left steering column, RSCH series		
26	AR3984	1	D/G trolley, RSCH series		
27	AR 3449	1	Wheel Ø150 PU Piv. f/pass.		
28	AR 3450	1	Wheel Ø150 PU Piv. f/pass. with brake		
29	AR 2288	2	Wheel Ø150 PU		
30	AR2134	2	Control board column 40x40		
31	AR2084	1	Large coupling lever		
32	AR2481	1	Coupling pin for filter shake casing		
33	AR2480	1	3mm. zigzag spring		
34	AR2073	1	Filter shake casing H=235		
*35	AR2072	1	Polyester filter "G" Ø500 H=400 20T.		
36	AR2018	1	Filter holding clamp Ø500		
37	AR2013	1	Filter holding ring sheath Ø500		
38	AR2071	1	Filter tensioning stand 20r. H=230 D/G2-100		
39	AR2017	1	Filter holding ring Ø500		
40	AR3985	1	Cover Ø525 ,1 port Ø80		
41	AR2286	1	Curved hose inlet sheath Ø80		
42	AR3986	1	Curved hose inlet plug Ø70, RSCH series		
43	AA1023	1	Accessory hose connector Ø70		
Filter type	Polyester "C"	Polyester "G" ant.	Polyester "C" ant.	Polyester "G" nomex	Polyester "G" teflon
Code	AR 3060	AR 3006	AR 3074	AR 3009	AR 2072/T

01 – D/G 60 ELF Model, RSCH Series






02 – D/G 60 – D/G 60 ELF Models, RSCH Series

REF.	PART NUMBER	QUANTITY	DESCRIPTION
1	AR3987	1	D/G1-60 centring plate ,RSCH series
2	AR3988	1	D/G upper cover's outline profile, RSCH series
3	AR3989	1	D/G upper cover, RSCH series
4	AR3990	1	D/G handle , RSCH series
5	AR3140	1	Vacuum gauge Ø63 0–6000 mm.H2O
6	AR3367	1	Quick release connector
7	AR3368	1	RISLAN Pipe Ø6 L=120 cm.
8	AR3115	2	Cord hanging hook cover
9	AR3452	1	2 ports cord hanging hook with
10	AR3128	1	32 A , 4-pole mobile plug
11	AR3370	cm.30	Supply cable (cord) H07RNF 4G2,5
12	AR3127	1	32 A plug, 5-pole mobile plug
13	AR2189	1	32 A plug, 5-pole phase change plug
14	AR3370	Mt.10	Supply cable (cord) H07RNF 4G2,5
15	AR3998	1	PG 16 cord pickup
16	AR3999	1	PG 21 - 16 D/G2-60 Reduction
17	AR2204	1	LC1 V400 KW 4-5,5 Cassette
18	AR3993	1	D/G1-2-60 rear cover, RSCH series
19	AR3994	1	D/G1-2-60 outline profile, RSCH series
20	AR2220	1	D/G right side panel frame, RSCH series
21	AR2221	1	D/G left side panel frame, RSCH series
22	AR3971	1	G.A. RSCH KW3 V230/400/50 IP55
23	AR3154	2	D/G side cover, RSCH series
24	AR3995	2	D/G steering column side cover, RSCH
25	AR3996	1	D/G front cover, RSCH series
26	AR3886	1	2" threaded valve cap
27	AR3997	1	T" connector
28	AR3342	1	"L" inlet connector
29	AR4016	1	Flange Ø167- 2" stub pipe with safety filter, RSCH series
30	AR4000	1	D/G safety filter container sheath Ø167, RSCH series
31	AR4001	1	D/G safety filter container Ø167, RSCH series
32	AR4002	2	D/G Safety filter Fastening latch, RSCH series
33	AR4003	1	D/G Safety filter, RSCH series
34	AR4004	1	D/G RSCH suction bottom Ø167
35	AA1023	1	Accessory connector Ø70
36	AR4005	cm.80	Flexible hose connector Ø70 cm.
37	AR4006	1	Soundproof pipe Ø90 H=535 fil.2" D/G1/60 RSCH series
38	AR3426	1	Grid pipe Ø60 H=535
39	AR3433	1	Soundproof pipe,15mm. thickness H=535
40	AR2352	1	Soundproof galvanized coupling
41	AR3284	1	Diffuser filter clamp
42	AR3276	1	Nylon diffuser filter

02 – D/G 60 – D/G 60 ELF Models, RSCH Series






01 – D/G 2 Model, RSCH Series

REF	PART NUMBER	QUANTITY	DESCRIPTION
1	AR2002	3	Spring hook fasteners
2	AR2001	1	Handle L=140
3	AR3731	1	Filter chamber Ø500 H=850 TNG.FL.
4	AR2414	1	Die-cast inlet sheath Ø80
5	AR3880	1	Die-cast flat inlet
6	AR2416	1	Die-cast inlet plug
7	AR2417	1	Pawl spring
8	AR2418	1	Die-cast inlet pawl
9	AR2059	1	Collection container's sheath/chamber Ø500
10	AR3114	1	Locking ring Ø40 x 1,5 Z.B.
11	AR2078	1	Collection container Ø450 H=610
12	AR2079	1	Level indicator
13	AR3576	4	Mistral wheel cover
14	AR2062	4	Nylon pivot wheel Ø60
15	AR2008	1	Filter shake lever's knob
16	AR2066	1	Bellow
17	AR2065	1	Bellow flange
18	AR2063	1	Filter shake lever
19	AR2051	2	35x35 square cap
20	AR2363	2	Coupling lever fulcrum
21	AR2178	2	Slider D/M3
22	AR2086	1	Right chamber profile
23	AR2087	1	Left chamber profile
24	AR3982	1	D/G Right steering column, RSCH series
25	AR3983	1	D/G Left steering column, RSCH series
26	AR3984	1	D/G trolley, RSCH series
27	AR3449	1	Wheel Ø150 PU Piv. f/pass.
28	AR 3450	1	Wheel Ø150 PU Piv. f/pass. with brake
29	AR2288	2	Wheel Ø150 PU
30	AR2134	2	Control board column 40x40
31	AR2084	1	Large coupling lever
32	AR2481	1	Coupling pin for filter shake casing
33	AR2480	1	3mm. zigzag spring
34	AR2073	1	Filter shake casing H=235
*35	AR2072	1	Polyester filter "G" Ø500 H=400 20T.
36	AR2018	1	Filter holding clamp Ø500
37	AR2013	1	Filter holding ring sheath Ø500
38	AR2071	1	Filter tensioning stand 20r. H=230 D/G2-100
39	AR2017	1	Filter holding ring Ø500
40	AR3985	1	Cover Ø525 ,1 port Ø80
41	AR2286	1	Curved hose inlet sheath Ø80
42	AR3986	1	Curved hose inlet plug Ø70, RSCH series
43	AA1023	1	Accessory hose connector Ø70

Filter type	Polyester "C"	Polyester "G" ant.	Polyester "C" ant.	Polyester "G" nomex	Polyester "G" teflon
Code	AR 3060	AR 3006	AR 3074	AR 3009	AR 2072/T

01 – D/G 2 Model, RSCH Series






02 – D/G 2 Model, RSCH Series

REF.	PART NUMBER	QUANTITY	DESCRIPTION
1	AR4012	1	D/G 2 centring plate ,RSCH series
2	AR3988	1	D/G upper cover's outline profile, RSCH series
3	AR3989	1	D/G upper cover, RSCH series
4	AR3990	1	D/G handle , RSCH series
5	AR3140	1	Vacuum gauge Ø63 0–6000 mm.H2O
6	AR3367	1	Quick release connector
7	AR3368	1	RISLAN Pipe Ø6 L=120 cm.
8	AR3115	2	Cord hanging hook cover
9	AR3452	1	2 ports cord hanging hook with
10	AR3128	1	32 A , 4-pole mobile plug
11	AR3370	cm.30	Supply cable (cord) H07RNF 4G2,5
12	AR3127	1	32 A plug, 5-pole mobile plug
13	AR2189	1	32 A plug, 5-pole phase change plug
14	AR3370	Mt.10	Supply cable (cord) H07RNF 4G2,5
15	AR3998	1	PG 16 cord pickup
16	AR3999	1	PG 21 - 16 D/G2-60 Reduction
17	AR2204	1	LC1 V400 KW 4-5,5 Cassette
18	AR3993	1	D/G1-2-60 rear cover, RSCH series
19	AR3994	1	D/G1-2-60 outline profile, RSCH series
20	AR2220	1	D/G right side panel frame, RSCH series
21	AR2221	1	D/G left side panel frame, RSCH series
22	AR3972	1	G.A. RSCH KW3 V230/400/50 IP55
23	AR3154	2	D/G side cover, RSCH series
24	AR3995	2	D/G steering column side cover, RSCH
25	AR3996	1	D/G front cover, RSCH series
26	AR4021	1	3" thread
27	AR4022	1	3" threaded cap
28	AR4023	1	"T" connector
29	AR3342	1	"L" inlet connector
30	AR4015	1	Flange Ø167- 2" stub pipe with safety filter, RSCH series
31	AR4000	1	D/G safety filter container sheath Ø167, RSCH series
32	AR4001	1	D/G safety filter container Ø167, RSCH series
33	AR4002	2	D/G Safety filter Fastening latch, RSCH series
34	AR4003	1	D/G Safety filter, RSCH series
35	AR4004	2	D/G RSCH suction bottom Ø167
36	AA1023	1	Accessory connector Ø70
37	AR4005	cm. 80	Flexible hose connector Ø70 cm.
38	AR4024	1	3" bottom - Ø167
39	AR3343	2	Flange grid Ø168
40	AR4025	1	Soundproof pipe Ø168 H=500 D/G, RSCH series
41	AR4026	1	15mm thickness soundproof pipe, H=500
42	AR4027	1	Pipe grid Ø110 H=500
43	AR3284	1	Diffuser filter clamp
44	AR3276	1	Diffuser nylon filter

02 – D/G 2 Model, RSCH Series






01 – D/G 100 Model, RSCH Series

REF.	PART NUMBER	QUANTITY	DESCRIPTION
1	AR2002	3	Spring hook fasteners
2	AR2001	1	Handle L=140
3	AR3731	1	Filter chamber Ø500 H=850 TNG.FL.
4	AR2414	1	Die-cast inlet sheath Ø80
5	AR3880	1	Die-cast flat inlet
6	AR2416	1	Die-cast inlet plug
7	AR2417	1	Pawl spring
8	AR2418	1	Die-cast inlet pawl
9	AR 2059	1	Collection container's sheath/chamber Ø500
10	AR 3114	1	Locking ring Ø40 x 1,5 Z.B.
11	AR2078	1	Collection container Ø450 H=610
12	AR2079	1	Level indicator
13	AR3576	4	Mistral wheel cover
14	AR2062	4	Nylon pivot wheel Ø60
15	AR2008	1	Filter shake lever's knob
16	AR2066	1	Bellow
17	AR2065	1	Bellow flange
18	AR2063	1	Filter shake lever
19	AR2051	2	35x35 square cap
20	AR2363	2	Coupling lever fulcrum
21	AR2178	2	Slider D/M3
22	AR2086	1	Right chamber profile
23	AR2087	1	Left chamber profile
24	AR3982	1	D/G Right steering column, RSCH series
25	AR3983	1	D/G Left steering column, RSCH series
26	AR3984	1	D/G trolley, RSCH series
27	AR 3449	1	Wheel Ø150 PU Piv. f/pass.
28	AR 3450	1	Wheel Ø150 PU Piv. f/pass. with brake
29	AR 2288	2	Wheel Ø150 PU
30	AR2134	2	Control board column 40x40
31	AR2084	1	Large coupling lever
32	AR2481	1	Coupling pin for filter shake casing
33	AR2480	1	3mm. zigzag spring
34	AR2073	1	Filter shake casing H=235
*35	AR2072	1	Polyester filter "G" Ø500 H=400 20T.
36	AR2018	1	Filter holding clamp Ø500
37	AR2013	1	Filter holding ring sheath Ø500
38	AR2071	1	Filter tensioning stand 20r. H=230 D/G2-100
39	AR2017	1	Filter holding ring Ø500
40	AR3985	1	Cover Ø525 ,1 port Ø80
41	AR2286	1	Curved hose inlet sheath Ø80
42	AR3986	1	Curved hose inlet plug Ø70, RSCH series
43	AA1023	1	Accessory hose connector Ø70

Filter type	Polyester "C"	Polyester "G" ant.	Polyester "C" ant.	Polyester "G" nomex	Polyester "G" teflon
Code	AR 3060	AR 3006	AR 3074	AR 3009	AR 2072/T

01 – D/G 100 Model, RSCH Series






01 – D/G 100 ELF Model, RSCH Series

REF.	PART NUMBER	QUANTITY	DESCRIPTION
1	AR4020	1	Filtering chamber Ø560 H=1000 TNG FL.
2	AR2002	3	Spring hook fasteners
3	AR2001	1	Handle L=140
4	AR3882	4	ELF chamber fastening straps
5	AR2414	1	Die-cast flat inlet sheath Ø80
6	AR3880	1	Die-cast flat inlet
7	AR2416	1	Die-cast inlet plug
8	AR2417	1	Pawl spring
9	AR2418	1	Die-cast inlet pawl
10	AR2059	1	Collection container's sheath/chamber Ø500
11	AR3114	1	Locking ring Ø40 x 1,5 Z.B.
12	AR2078	1	Collection container Ø450 H=610
13	AR2079	1	Level indicator
14	AR3576	4	Mistral wheel cover
15	AR2062	4	Nylon pivot wheel Ø60
16	AR3137	1	Zefiro filter shake lever
17	AR2065	1	Filter shake flange
18	AR2066	1	Bellow
19	AR2008	1	Filter shake lever's knob
20	AR2051	2	35x35 square cap
21	AR2363	2	Coupling lever fulcrum
22	AR3846	2	Slider D/G100-150 ELF
23	AR4018	1	D/G ELF Right steering column, RSCH series
24	AR4019	1	D/G ELF Left steering column, RSCH series
25	AR3984	1	D/G trolley, RSCH series
26	AR 3449	1	Wheel Ø150 PU Piv. f/pass.
27	AR 3450	1	Wheel Ø150 PU Piv. f/pass. with brake
28	AR 2288	2	Wheel Ø150 PU
29	AR3833	2	50x25 terminal, Tecnoil 150
30	AR2084	1	Large coupling lever
31	AR2481	1	Coupling pin for filter shake casing
32	AR2480	1	3mm. zigzag spring
33	AR2073	1	Filter shake casing H=235
*34	AR3753	1	Polyester G filter Ø560 H=750 20T.
35	AR2588	1	Filter fastening clamp Ø560
36	AR2582	1	Filter holding ring sheath Ø560
37	AR3892	1	Filter tensioning casing 20R. D/G150 elf
38	AR2404	1	Guide casing D/G100/150
39	AR3361	1	Filter holding ring Ø560
40	AR3400	1	Cover Ø560 TS1800
41	AR2286	1	Curved hose inlet sheath Ø80
42	AR3986	1	Curved hose inlet plug Ø70, RSCH series
43	AA1023	1	Accessory hose connector Ø70

Filter type	Polyester "C"	Polyester "G" ant.	Polyester "C" ant.	Polyester "G" nomex	Polyester "G" teflon
Code	AR 3754	AR 3755	AR 3501	AR 4028	AR 3550



01 – D/G 100 ELF Model, RSCH Series






02 – D/G 100 Model, RSCH Series

REF.	PART NUMBER	QUANTITY	DESCRIPTION
1	AR4007	1	D/G100 centring plate, RSCH series
2	AR3988	1	D/G upper cover's outline profile, RSCH series
3	AR3989	1	D/G upper cover, RSCH series
4	AR3990	1	D/G handle, RSCH series
5	AR3140	1	Vacuum gauge Ø63 0–6000 mm.H ₂ O
6	AR3367	1	Quick release connector
7	AR3368	1	RISLAN Pipe Ø6 L=120 cm.
8	AR3115	2	Cord hanging hook cover
9	AR3452	1	2 ports cord hanging hook with
10	AR3128	1	32 A, 4-pole mobile plug
11	AR3883	cm.30	Supply cable (cord) H07RNF 4G4
12	AR 3127	1	32A 5-pole mobile plug
13	AR 2189	1	32A 5-pole phase change plug
14	AR3883	Mt.10	Supply cable (cord) H07RNF 4G4
15	AR3235	1	Cord pick-up PG 21
16	AR4008	1	Control board D/G100, RSCH series
17	AR4009	1	Rear cover D/G100, RSCH series
18	AR4010	1	D/G1-2-60 outline profile, RSCH series
19	AR2220	1	D/G right side panel frame, RSCH series
20	AR2221	1	D/G left side panel frame, RSCH series
21	AR3951	1	G.A. RSCH KW3 V230/400/50 IP55
22	AR3154	2	D/G side cover, RSCH series
23	AR3995	2	D/G steering column side cover, RSCH
24	AR3996	1	D/G front cover, RSCH series
25	AR4014	1	Flange Ø150-3", D/G100Turb. clutch, RSCH series
26	AR4022	1	3" threaded cap
27	AR4023	1	"T" connector
28	AR3342	1	"L" inlet connector
29	AR4015	1	Flange Ø167- 2" stub pipe with safety filter, RSCH series
30	AR4000	1	D/G safety filter container sheath Ø167, RSCH series
31	AR4001	1	D/G safety filter container Ø167, RSCH series
32	AR4002	2	D/G Safety filter Fastening latch, RSCH series
33	AR4003	1	D/G Safety filter, RSCH series
34	AR4004	2	D/G RSCH suction bottom Ø167
35	AA1023	1	Accessory connector Ø70
36	AR4005	cm.80	Flexible hose connector Ø70 cm.
37	AR4011	1	3" bottom - Ø167
38	AR3343	2	Flange grid Ø168
39	AR4025	1	Soundproof pipe Ø168 H=500 D/G, RSCH series
40	AR4026	1	15mm thickness soundproof pipe, H=500
41	AR4027	1	Pipe grid Ø110 H=500
42	AR3284	1	Diffuser filter clamp
43	AR3276	1	Diffuser nylon filter



02 – D/G 100 Model, RSCH Series






02 – D/G 100 Model, RSCH Series

REF.	PART NUMBER	QUANTITY	DESCRIPTION
1	AR4007	1	D/G100 centring plate, RSCH series
2	AR3988	1	D/G upper cover's outline profile, RSCH series
3	AR4053	1	D/G upper cover, RSCH series
4	AR3990	1	D/G handle, RSCH series
5	AR3140	1	Vacuum gauge Ø63 0–6000 mm.H ₂ O
6	AR3367	1	Quick release connector
7	AR3368	1	RISLAN Pipe Ø6 L=120 cm.
8	AR3115	2	Cord hanging hook cover
9	AR3452	1	2 ports cord hanging hook with
10	AR3128	1	32 A, 4-pole mobile plug
11	AR3883	cm.30	Supply cable (cord) H07RNF 4G4
12	AR3127	1	32A 5-pole mobile plug
13	AR2189	1	32A 5-pole phase change plug
14	AR3883	Mt.10	Supply cable (cord) H07RNF 4G4
15	AR3235	1	Cord pick-up PG 21
16	AR4008	1	Control board D/G100, RSCH series
17	AR4009	1	Rear cover D/G100, RSCH series
18	AR4010	1	D/G1-2-60 outline profile, RSCH series
19	AR2220	1	D/G right side panel frame, RSCH series
20	AR2221	1	D/G left side panel frame, RSCH series
21	AR3951	1	G.A. RSCH KW3 V230/400/50 IP55
22	AR3154	2	D/G side cover, RSCH series
23	AR3995	2	D/G steering column side cover, RSCH
24	AR3996	1	D/G front cover, RSCH series
25	AR4014	1	Flange Ø150-3", D/G100Turb. clutch, RSCH series
26	AR4022	1	3" threaded cap
27	AR4023	1	"T" connector
28	AR3342	1	"L" inlet connector
29	AR4015	1	Flange Ø167- 2" stub pipe with safety filter, RSCH series
30	AR4000	1	D/G safety filter container sheath Ø167, RSCH series
31	AR4001	1	D/G safety filter container Ø167, RSCH series
32	AR4002	2	D/G Safety filter Fastening latch, RSCH series
33	AR4003	1	D/G Safety filter, RSCH series
34	AR4004	2	D/G RSCH suction bottom Ø167
35	AA1023	1	Accessory connector Ø70
36	AR4005	cm. 80	Flexible hose connector Ø70 cm.
37	AR4011	1	3" bottom - Ø167
38	AR3343	2	Flange grid Ø168
39	AR4025	1	Soundproof pipe Ø168 H=500 D/G, RSCH series
40	AR4026	1	15mm thickness soundproof pipe, H=500
41	AR4027	1	Pipe grid Ø110 H=500
42	AR3284	1	Diffuser filter clamp
43	AR3276	1	Diffuser nylon filter

02 - D/G 100 Model, RSCH Series






01 – D/G 150 Model, RSCH Series

REF.	PART NUMBER	QUANTITY	DESCRIPTION
1	AR2002	3	Spring hook fasteners
2	AR2001	1	Handle L=140
3	AR2075	1	Filter chamber Ø500 H=850
4	AR2008	1	Filter shake lever's knob
5	AR2066	1	Bellow
6	AR2065	1	Filter shake flange
7	AR2063	1	Filter shake lever
8	AR 2059	1	Container chamber sheath
9	AR 3114	1	Ring Ø 40 x 1,5
10	AR2078	1	100 lt. collection container
11	AR 2079	1	Level indicator
12	AR3576	4	Mtl wheel cover
13	AR 2403	4	Pivot wheel Ø80 ELA
14	AR2051	2	35x35 square cap
15	AR2363	2	Sliding pawl - fulcrum
16	AR2178	2	Slider
17a	AR2086	1	Right chamber profile
17b	AR2087	1	Left chamber profile
18	AR2088	2	Steering columns
19	AR3115	2	Cable hanger's cap
20	AR2085	1	Cable hanging hook
21	AR2604	1	D/G150 trolley
22	AR 3449	1	Pu. Pivot wheel Ø150
23	AR 3450	1	Pu. Pivot wheel Ø150 with brake
24	AR 2288	2	Pu. wheel Ø150
25	AR2134	2	40x40 square cap
26	AR2084	1	Large coupling lever
27	AR2481	1	Filter shake casing coupling pin
28	AR2480	1	3mm. zigzag spring
29	AR2073	1	Filter shake casing H=235
*30	AR2072	1	20 plies filter Ø500 H=600
31	AR2018	1	Filter fastening clamp Ø500
32	AR2013	1	Filter holding ring sheath Ø500
33	AR2071	1	Filter tensioning casing 20r. D/G100-150
34	AR2017	1	Filter holding ring Ø500
35	AR2404	1	Guide casing D/G100-150
36	AR2070	1	Cover sheath Ø500
37	AR2287	1	D/G150 cover with ports for guide casing
38	AR2286	1	Inlet plug sheath Ø80
39	AR2285	1	Curved inlet plug Ø80
40	AA1080	1	Inlet plug coupling Ø80

Filter type	Polyester "C"	Polyester "G" ant.	Polyester "C" ant.	Polyester "G" nomex	Polyester "G" teflon
Code	AR 3060	AR 3006	AR 3074	AR 3009	AR 2072/T

01 – D/G 150 Model, RSCH Series






01 – D/G 150 ELF Model, RSCH Series

REF.	PART NUMBER	QUANTITY	DESCRIPTION
1	AR3881	1	Filter chamber Ø560 H1000 TNG
2	AR2002	3	Spring hook fasteners
3	AR2001	1	Handle L=140
4	AR3882	4	ELF chamber fastening straps
5	AR2008	1	Filter shake lever's knob
6	AR2066	1	Bellow
7	AR2065	1	Filter shake flange
8	AR2063	1	Filter shake lever
9	AR 2059	1	Container's chamber sheath
10	AR 3114	1	Ring Ø40 x 1,5
11	AR2078	1	100 lt. Collection container
12	AR 2079	1	Level indicator
13	AR3576	1	Mtl wheel cover
14	AR 2005	4	Pivot wheel Ø80
15	AR2051	2	35x35 square cap
16	AR2363	2	Sliding pawl - fulcrum
17	AR3846	2	D/G100/150 ELF Chamber sliders
18	AR3845	2	D/G100-150 ELF Steering columns
19	AR3115	2	Cable hanger's cap
20	AR2085	1	Cable hanging hook
21	AR2290	1	D/G150 Trolley
22	AR 2531	1	Pu. pivot wheel Ø150
23	AR 2532	1	Ø150 Pu. Pivot wheel with brake
24	AR 2530	2	Ø150 Wheel
25	AR2134	2	40x40 square cap
26	AR2084	1	Large coupling lever
27	AR2481	1	Filter shake casing coupling pin
28	AR2480	1	3mm. zigzag spring
29	AR2073	1	Filter shake casing H=235
*30	AR3753	1	20-ply filter, Polyester "G", Ø560 H=750
31	AR2588	1	Filter fastening clamp Ø560
32	AR2582	1	Filter holding ring sheath Ø560
33	AR3892	1	Filter tensioning casing 20r. D/G100-150 ELF
34	AR3361	1	Filter holding ring Ø560
35	AR2404	1	D/G100-150 guide casing
36	AR2453	1	Cover sheath Ø560
37	AR3360	1	Cover Ø560
38	AR2286	1	Inlet plug sheath Ø80
39	AR2285	1	Curved inlet plug Ø80
40	AA1080	1	Inlet plug coupling Ø80

Filter type	Polyester "C"	Polyester "G" ant.	Polyester "C" ant.	Polyester "G" nomex	Polyester "G" teflon
Code	AR 3754	AR 3755	AR 3501	AR 4028	AR 3550


01 – D/G 150 ELF Model, RSCH Series




02 – D/G 150 – DG 150 ELF Models, RSCH Series

REF.	PART NUMBER	QUANTITY	DESCRIPTION
1	AR3297	1	Bottom Ø168
2	AR3343	1	Flange grid Ø168
3	AR3839	1	Grid pipe H=700 Ø110 D/G 150-200
4	AR3838	1	Acoustic insulation 350x700 sp.3mm.
5	AR2296	1	Flexible connector Ø80
6	AR3337	1	Soundproof pipe Ø168 H=700 D/G150-200
7	AA1155	1	Rubber coupling Ø100/80
8	AR3341	1	D/G150 Valve holding suction pipe
9	AR4011	1	Bottom Ø167 – 4"
10	AR2209	1	Flange 150x180 and 4" bottom for DG150
11	AA1334		3" vacuum/pressure relief valve
12	AR2208	1	D/G150-200-300 flange sheath
13	AR3311	1	D/G150 upper cover's outline profile
14	AR3335	1	D/G150 blowing pipe outline profile
15	AR3336	1	D/G150 suction pipe outline profile
16	AR3312	1	D/G150 upper cover
17	AR3313	1	D/G150 handle
18	AA1105	1	Nash suction unit, 12.5 KW V400/690/50 IP65
19	AR3326	1	D/G150 front panel
20	AR3324	1	D/G150 Right side panel
21	AR3325	1	D/G150 Left side panel
22	AR3322	1	D/G150 right side panel frame
23	AR3323	1	D/G150 left side panel frame
24	AR3330	4	Ø80x40 M12 F/F Vibration dampeners
25	AR3315	1	Rilsan pipe Ø6 L=120
26	AR3314	1	Air pipe inlet coupling
27	AR3140	1	Vacuum gauge Ø63 0-6000 mm H2O
28	AR3319	1	D/G150 control board
29	AR3320	1	D/G150 rear cover's outline profile
30	AR3321	1	D/G150 Rear cover
31	AR3327	2	"U" profiles for control board fastening
32	AR2537	1	Rubber pipe Ø25
33	AR3883	1	Supply cable (cord) t.H07RNF 4G4
34	AR2189	1	32 A 5-pole phase change plug

02 – D/G 150 – DG 150 ELF Models, RSCH Series






**Pneumatic filter cleaning kit with 2 cartridges Ø 500, P/N AA1246,
D/G1 – D/G 60 – D/G 2 Models**

REF.	PART NUMBER	QUANTITY	DESCRIPTION
1	AR 3353	2	24 Volt valve
2	AR3743	1	Compressed air adapter
3	AR4049	1	3/8" ball valve
4	AR4048	1	Pressure reduction gear
5	AR2335	1	Gauge
6	AR3263	2	Reduction _"F – 1"M
7	AR3352	1	2-way air tank
8	AR3265	1	1" Cap
9	AR3986	1	Curved inlet plug Ø70, RSCH series
10	AA1023	1	Accessory coupling sleeve, Ø70
11	AR2286	1	Curved plug sheath Ø80
12	AR4005	1	Ø70connector to the 80 cm. flexible hose
13	AR4042	1	Pneumatic cover Ø525 / 2 TRF cartridges
14	AR2070	1	Mousse sheath 30x3
15	AR3202	4	Handwheel 7p D.50 8MA
16	AR3056	2	Cartridge-filter Ø156x700
17	AR4033	1	Rising band Ø500 H=120
18	AR3306	1	Electric sequencer for no. 2/4 cartridges as an option
19	AR2523	3	F.A. spring hook fasteners
20	AR2013	1	Sheath Ø500
21	AR3847	1	Ø500/156 disk carrying 2cartridges

Compressor (available as an option)

22	AR4051	1	F.3/8" - Ø10straight connector to air pipe
23	AR4046	cm.50	Rislan pipe Ø10
24	AR4047	1	M.3/8"curved connector to Ø10air pipe
25	AR4050	1	Compressor 6L KW1,5 MNF
26	AR3254	4	Compressor's suction caps

**Pneumatic filter cleaning kit with 2 cartridges Ø 500, P/N AA1246,
D/G1 – D/G 60 – D/G 2 Models**






**Pneumatic filter cleaning kit with 4 cartridges Ø 560, P/N AA2671-A
D/G 100 Model**

RIF.	PART NUMBER	QUANTITY	DESCRIPTION
1	AR3353	4	24 Volt valve
2	AR3352	2	2-way air tank
3	AR3265	2	1" Cap
4	AR4043	2	1"M – 3/8" F reduction
5	AR3912	1	M/F 3/8" - 1/2" elbow
6	AR4044	2	M/M _" straight connector
7	AR3910	1	"T" F/F _" eject connector
8	AR4045	1	M _" connector to air pipe Ø10
9	AR4046	10 cm.	Rilsan pipe Ø10
10	AR4047	1	Curved connector M.3/8" to air pipe Ø10
11	AR4048	1	Pressure reduction gear
12	AR2335	1	Gauge
13	AR4049	1	3/8" ball valve
14	AR3743	1	Compressed air adapter
15	AR3884	1	Pneumatic cover Ø560 – 4 cartridges Trf.
16	AR3349	1	Cover sheath Ø560
17	AR2523	3	Spring hook fasteners F.A.
18	AR4034	1	Rising belt Ø560 H=120 TNGØ70
19	AR4005	1	Flexible hose connector Ø70
20	AR3202	8	Handwheel 7P. Ø50 8MA
21	AR3056	4	Cartridge filter Ø156x700
22	AR2582	1	Sheath Ø560
23	AR3848	1	Ø560/156 disk carrying 4cartridges

Compressor (available as an option)

24	AR4051	1	F.3/8" - Ø10straight connector to air pipe
25	AR4046	50 cm.	Rislan pipe Ø10
26	AR4047	1	M.3/8"curved connector to Ø10air pipe
27	AR4050	1	6L KW1,5 MNF Compressor
28	AR3254	4	Compressor's suction caps

**Pneumatic filter cleaning kit with 4 cartridges Ø 560, P/N AA2671-A
D/G 100 Model**




**Pneumatic filter cleaning kit with 4 cartridges Ø 560, P/N AA2671-A
D/G 150 Model**

REF.	PART NUMBER	QUANTITY	DESCRIPTION
1	AR3353	4	24 Volt valve
2	AR3352	2	2-way air tank
3	AR3265	2	1" Cap
4	AR4043	2	1"M – 3/8" F reduction
5	AR3912	1	M/F 3/8" - 1/2" elbow
6	AR4044	1	M/M _" straight connector
7	AR3910	1	"T" F/F _" eject connector
8	AR4045	1	M _" connector to air pipe Ø10
9	AR4046	cm.10	Rilsan pipe Ø10
10	AR4047	1	Curved connector M.3/8" to air pipe Ø10
11	AR4048	1	Pressure reduction gear
12	AR2335	1	Gauge
13	AR4049	1	3/8" ball valve
14	AR3743	1	Compressed air adapter
15	AR3884	1	Pneumatic cover Ø560 – 4 cartridges
16	AR3349	1	Cover sheath Ø560
17	AR2002	3	Spring hook fasteners F.A.
18	AR4035	1	Rising belt Ø560 H=120 TNGØ70
19	AR4005	1	Flexible hose connector Ø70
20	AR3202	8	Handwheel 7P. Ø50 8MA
21	AR3056	4	Cartridge filter Ø156x700
22	AR2582	1	Sheath Ø560
23	AR3848	1	Ø560/156 disk carrying 4cartridges

Compressor (available as an option)

24	AR4051	1	F.3/8" - Ø10 straight connector to air pipe
25	AR4046	50cm.	Rilsan pipe Ø10
26	AR4047	1	M.3/8"curved connector to Ø10air pipe
27	AR4050	1	6L KW1,5 MNF Compressor
28	AR3254	4	Compressor's suction caps

**Pneumatic filter cleaning kit with 4 cartridges Ø 560, P/N AA2671-A
D/G 150 Model**






**Filter cleaning kit with piston automatic shake system, P/N AA 1249,
D/G 150 Model**

REF.	PART NUMBER	QUANTITY	DESCRIPTION
1	AR3741	1	90° inlet plug Ø100, flange Ø100
2	AR4041	2	Ø10 quick release sheet metal inlet plug
3	AR2287	1	D/G150 Cover
4	AR2070	1	Mousse sheath30x3
5	AR2523	3	Spring hook fasteners F.A.
6	AR3896	1	Piston shake system rise belt Ø500 H120
7	AR3244	1	Ortogon hingeCN/CD 40-50
8	AR3247	2	Seeger ring
9	AR3246	1	Hinge pin
10	AR3245	1	Hinge CN/CA 50
11a	AR4046	20 cm.	Rilsan pipe Ø10
11b	AR4046	35 cm.	Rilsan pipe Ø10
12	AR4047	2	M.3/8"curved connector to Ø10air pipe
13	AR3248	1	Pneumatic cylinder CN 50/200
14	AR2017	1	Filter holding ring Ø500
15	AR2013	1	Filter holding ring sheath Ø500
16	AR3726	1	Filter tensioning casing 20 R. D/G150 for P.A.S.S.
17	AR2018	1	Filter fastening clamp Ø500
18	AR2072	1	Polyester filter G 20 Ø500 H=600 20T.
19	AR4046	50 cm.	Rilsan pipe Ø10
20	AR3253	1	24V 5-way valve
21	AR3252	2	1/4" bronze silencer
22	AR4049	1	3/8" ball valve
23	AR3743	1	Compressed air adapter


Compressor (available as an option)

24	AR3251	1	1/4 " extension L=30
25	AR3250	1	FRL _" Unit
26	AR4047	1	M.3/8"curved connector to Ø10air pipe
27	AR4046	50 cm.	RILSAN pipe Ø10
28	AR4050	1	6L KW1,5 MNF compressor
29	AR3254	4	Compressor's suction caps

**Filter cleaning kit with piston automatic shake system, P/N AA 1249,
D/G 150 Model**



AA 1096 Float
Available as an option for the 100 lt. collection container



REF.	PART NUMBER	QUANTITY	DESCRIPTION
1	AR2011	01	Fibre filter grid
2	AR2012	01	Fibre filter
3	AR1321	01	Float cyclone Ø450
4	AR2069	01	Mousse sheath 10x3
5	AR2553	01	Float sheath
6	AR2015	01	Float
7	AR2384	01	Float retainer
8	AR3304	01	Float cap
9	AR2412	01	Die-cast inlet kit
10	AR2010	01	Complete exhaust valve