



6.3 Mod. D/M 3 air EX (exploded view) - Machine body

6.3.1 Mod. D/M 3 air EX - Machine body

Ref.	Code	Q.ty	Description
1	AR2013	1	Filter ring gasket
2	AR2580	1	Ø500 h=70 filter ring
3	AR2018	1	Filter fastening clamp
4	AR3891	1	20 spokes filter stretcher
5	AR3005	1	G cat. Ø500 h=400 20 pockets filter
6	AR2457	1	h=195 14 spokes filter shaker cage
7	AR2481	1	Filter shaker bolt
8	AR2480	1	Holding spring
9	AR3711	1	Inox deflector
10	AR2002	3	Spring hook
11	AR3186X	1	Inox filtering chamber D/M 3 AIR EX
12	AR2418	1	Pipe union catch
13	AR2416	1	Pipe union pin
14	AR2417	1	Pipe union spring
15	AR2003	1	Pipe union gasket
16	AR2413	1	Die-cast pipe union
17	AR2001	1	L=140 handle
18	AR2063	1	Filter shaker lever
19	AR2065X	1	Filter shaker flange
20	AR2066	1	Folding top
21	AR2128	1	Filter shaker handle
22	AR2059	1	Container gasket
23	AR3188	1	D/M 3 AIR EX bag
24	AR3189X	1	Ø370 H=510 55 L Inox container
25	AR2062	4	Ø60 castor
26	AR3576	4	MTL Castor cap


6.3.2 D/M 3 air EX - Motor head (exploded view)



6.3.3 D/M 3 air EX - Motor head


Ref.	Code	Q.ty	Description
1	AR3185X	1	Inox Cover motor head
2	AR2023	2	L=117mm bridge handle
3	AR3524	1	Ø40mm Vacuum meter
4	AR3386	1	Straight connection for air hose ¼"
5	AR3898	1	Ø6mm L=34cm. rilsan hose
6	AR3899	1	Noise reducing disk for air head
7	AR3900	1	Noise reducer material for air cover
8	AR3901	1	Threaded extension ½" air head
9	AR3947	1	Condensation filter for air head n.t.
10	AR3902	2	Extension cuff ½" 10mm.
11	AR3903	1	Pivot with slot ¼"
12	AR3904	1	Bend M/F ½"
13	AR2338	1	Spheric valve with lever M/F ½"
14	AR3905	1	Plug in for rubber holder
15	AR3906	1	Rubber holder
16	AR3907	1	Collar for condensation filter 2" air head
17	AR2335	1	Manometer
18	AR3908	1	Straight connection for vacuum indicator ¼"
19	AR3909	1	Double screw for vacuum indicator connection
20	AR3910	1	"T" connection 1/2" for venturi ejector for air head
21	AR3911	2	Screw ½"
22	AR3912	2	Bends 3/8" – 1/2"
23	AR3913	2	Ejector unit for air head
24	AR2396	2	Ø60 joints
25	AR3914	1	Noise reducing material for base plate air head
26	AR3915	1	Easy plug in 4x6 for air
27	AR3916	1	Threaded plug in M8
28	AR3917	6	Distance bars M6
29	AR3918X	1	Base plate air n.t.
30	AR3919	1	Nut 1/8"
31	AR3927	2	Noise reducing material hose for air head 50cm. n.t.

6.3.4 D/M 3 air EX - Trolley (exploded view)




6.3.5 D/M 3 air EX - Trolley

Ref.	Code	Q.ty	Description
1	AR2133	1	D/M3 trolley
2	AR3784	1	Ø150 antistatic turning wheel with brake
3	AR3785	1	Ø150 antistatic turning wheel
4	AR3783	2	Ø150 antistatic wheel
5	AR2134	2	40x40 square cap
6	AR2084	1	Hooking lever
7	AR2458	1	Accessories carrier basket
8	AR2363	2	Hooking lever fulcrum pin
9	AR2132	1	D/M 3 push handle
10	AR3115	2	Cable holder cap
11	AR2088	2	Column
12	AR2086	1	Right U section for chamber
13	AR2087	1	Left U section for chamber
14	AR2051	2	35x35 square cap
15	AR2178	2	Sliding block
18	AR2085	1	Cable holder

6.4 Mod. MTL 352 DS air EX (exploded view) – Machine body

6.4.1 Mod. MTL 352 DS air EX (exploded view) – Machine body

Ref.	Code	Q.ty	Description
1(a)	AR 3484	1	Metallic filter holder ring Ø 420
1(b)	AR 3484/b	1	Metallic filter holder ring Ø 420 stainless steel
2	AR 3485	1	Metallic filter holder seal Ø 420
3	AR 3471	1	Metallic filter retainer clamp Ø 420
4	AR 3487	1	Metallic 16-pocket filter tightener cage
5	AR 3459	1	“G” Ø420 x 400mm 16 pockets antistatic polyester filter
6	AR 3586	1	Metallic filter-shaker cage
7	AR 2481	1	Filter-shaker cage lock pin
8	AR 2480	1	Zig-zag spring
9	AR 3711X	1	Inox deflector
10	AR 2002	2	Hook fastener
11	AR 2001	1	Handle L=140
12(a)	AR 3490/b	1	Metallic filter chamber Ø 420 H=610 stainless steel
12(b)	AR3490	1	Metallic filter chamber Ø 420 H=610
13	AR 2008	1	Filter-shaker lever knob
14	AR 2066	1	Bellows
15	AR 2065X	1	Filter-shaker flange
16	AR 3489	1	Metallic filter-shaker lever
17	AR 2417	1	Die-cast union spring
18	AR 2418	1	Die-cast union pawl
19	AR 2416	1	Die-cast union pin
20	AR 2413	1	Die-cast union
21	AR 3491	1	Metallic die-cast union seal
22	AR 3439	1	Metallic cont. seal/chamber Ø 420
23	AR 3492	4	Metallic oval-headed screw 8 x16 cont. handle
24	AR 2061	2	Bridge handle 117
25(a)	AR 3493	1	Metallic container Ø370 H=320
25(b)	AR 3493/b	1	Metallic container Ø370 H=320 stainless steel
26	AR 2399	4	Castor EPA Ø 50
27	AA 2721	1	Motor head



6.4.2 Mod. MTL 352 DS air EX (exploded view) - Trolley

6.4.3 Mod. MTL 352 DS air EX - Trolley



Ref.	Code	Q.ty	Description
1	AR2195	1	Castor Ø 80 with/brake grey
2	AR2196	1	Castor Ø 80 grey
3	AR2194	2	Antistatic rubber fixed wheels Ø200mm
4	AR 3451	2	Wheel axles Ø15 L=42
5	AR 3497	2	Hexagon-head screw part. thread. for castor Ø145 trolley
6	AR 3498	2	Square under-head screw for metallic trolley castors
7	AR 3499	2	PLT profile metallic columns
8	AR 3500	1	Metallic trolley frame
9	AR 3513	2	8x25 socket cap screw for slider pawl
10	AR 2363	2	Ø25 x 18.5 slider pawl
11	AR 3502	1	Mistral accessory basket
12	AR 3503	1	RH metallic lifting/release rod
13	AR 3504	1	LH metallic lifting/release rod
14	AR 3505	2	Ø20 x 30 nylon spacer thick. 1
15	AR 3506	2	8 x 35 socket countersunk screw for rotation fulcrum
16	AR 3507	2	Metallic rotation closing washer
17	AR 3508	2	Metallic aluminium body
18	AR 3509	2	Metallic lever mechanism rotation fulcrum
19	AR 3510	2	Metallic container fastening lever
20	AR 3511	1	Metallic push handle

6.5 Mod. MTL 802 W-D air EX (exploded view) – Machine body

Filter kit for dusts




Filter kit for liquids




6.5.1 Mod. MTL 802 W-D air EX – Machine Body

Ref.	Code	Q.ty	Description
1	AR 2196	1	Ø80mm antistatic castor
2	AR 2195	1	Ø80mm antistatic castor with break
3	AR 2494	2	PGA wheel Ø200mm gray MTL
4	AR 2278	2	Capped rings Ø20mm
5	AR 3576	2	Wheel cap MTL
6(a)	AR 3596	1	MTL 802 W-D container
6(b)	AR 3596/a	1	MTL 802 W-D Inox container
7	AR 3597	1	Black clamps 9x357 - Polyamide 12
8	AR 2418	1	Die-cast pipe union pawl
9	AR 2416	1	Die-cast pipe union pin
10	AR 3491	1	Metallic die-cast pipe union seal
11	AR 2002	2	Hook fastener
12	AR 3599	1	Flex hose for liquid drainage metallic 802
13	AR 2417	1	Die-cast pipe union spring
14	AR 2413	1	Die-cast pipe union
15	AR 3600	1	Metallic flex hose fastening clips
16	AR 3601	1	Tie-rod
17	AR 3602	1	Cap for metallic liquid pipe 802
18	AR 3711X	1	Inox deflector
19	AR 3160	2	Carriage plastic grip
20	AR 3472	1	Nylon filter with elastic Ø420 metallic W-D
21	AR 3582	1	Nylon filter tension ring metallic W-D
22	AR 3473/ANT	1	Ø420mm MTL W-D antistatic polyester filetr
23	AR 3471	2	Filter clamp metallic Ø420
24(a)	AR 3484	2	Filter holder ring metallic
24(b)	AR 3484/a	2	MTL Ø420mm filter holder ring stainless steel
25	AR 3485	2	Filter holder seal metallic
26	AR 3587	1	Float cage for metallic
27	AR 2553	1	Float seal
28	AR 3588	1	Metallic float
29	AR 3589	1	Cyclone-float metallic Ø420
30	AR 3590	1	Filter-fibre bottom metallic W-D
31	AR 3475	1	Filter-fibre metallic W-D
32	AR 3474	1	PPL filter metallic W-D Ø420



6.6.1 MTL 352 DS air EX, MTL 802 W-D air EX – Motor head

Ref.	Code	Q.ty	Description
1	AR3512	1	Adhesive resin-bonded Delfin logo
2	AR2023	2	L=117mm bridge handle
3	AR3897X	1	AIR MTL Inox head cover
4	AR3524	1	Ø40mm vacuum meter
5	AR3386	1	Straight connection for air hose 1/4"
6	AR3898	1	Ø6mm L=34cm. rilsan hose
7	AR3899	1	Noise reducing disk for air head
8	AR3900	1	Noise reducer material for air cover
9	AR3914	1	Noise reducing material for base plate air head
10	AR3927	35cm	Noise reducing material hose for air head 50cm. n.t.
11	AR3913	1	Ejector unit for air head
12	AR4074	1	3/8"ch. 17mm double screw
13	AR4075	1	Connection for threaded hose 3/8"
14	AR3901	1	Threaded extension 1/2" air head
15	AR3947	1	Condensation filter for air head n.t.
16	AR3903	1	Pivot with slot 1/4"
17	AR3904	1	Bend M/F 1/2"
18	AR2338	1	Spheric valve with lever M/F 1/2"
19	AR3905	1	Plug in for rubber holder
20	AR3906	1	Rubber holder
21	AR2396	2	Ø60 joints
22	AR2335	1	Manometer
23	AR4076	1	1/4" Cuffs
24	AR3909	1	Double screw for vacuum indicator connection
25	AR3907	1	Collar for condensation filter 2" air head
26	AR3915	1	Easy plug in 4x6 for air
27	AR4077	1	280x3.5x1.5mm clamp
28	AR3916	1	Threaded plug in M8
29	AR4080	4	M6 h15 ch10 spacer
30	AR3545X	1	Inox base MTL air
31	AR4079	1	1/8" hexagon-head screw - ch17mm
32	AR2036	1	30x3mm joint



FAX:

DATE:

Page... ..of... ..

Delfin srl
Strada della Merla 49/a
10036 Settimo torinese (TO) – Italy
Tel. : 0039.011.8005500
Fax: 0039.011.800.55.06

Importante: Scrivere a macchina o in stampatello

MODULO PER L'ORDINAZIONE DEI RICAMBI

Trasmesso da: _____ **Tel.:** _____

MODELLO PART. N° TAV.....CODICE RICAMBIO.....
DESCRIZIONE _____ QTA' _____

MODELLO PART. N° TAV.....CODICE RICAMBIO.....
DESCRIZIONE _____ QTA' _____

MODELLO PART. N° TAV.....CODICE RICAMBIO.....
DESCRIZIONE _____ QTA' _____

MODELLO PART. N° TAV.....CODICE RICAMBIO.....
DESCRIZIONE _____ QTA' _____

MODELLO PART. N° TAV.....CODICE RICAMBIO.....
DESCRIZIONE _____ QTA' _____

MODELLO PART. N° TAV.....CODICE RICAMBIO.....
DESCRIZIONE _____ QTA' _____

MODELLO PART. N° TAV.....CODICE RICAMBIO.....
DESCRIZIONE _____ QTA' _____



¹ Dealer: